

MARCH, 1990

	Hi	Lo	mean 57° Am Lo	Prec	Skv	Vis	Humidity	Wind PG	Dir
1	69	47	1		PC	½-2	98 62	14	SW
2	66	50	1		T. Cldy	1-4	100 66	11	
3	69	48	15		Cldy		100 65	14	
4	67	48	53	0.5	.02 Cldy	7-15	100 72	18	W
5	65	41	-4		C		98 30	18	NE
6	75	38	-0.5		C	35-25	98 16	18	NE
7	76	40	1		PC	30-15	97 24	14	SW
8	70	41	-2.5		PC	5-10	97 24	13	SSW
9	65	45	46	-2	Cldy	4-12	88 48	13	
10	62	41	-5.5	.17	Cldy	7	99 61	15	SW
11	60	38	43	-8	PC		90 38	26	W
12	61	34	-9.5	.07	PC	15-40	92 27	25	W
13	62	31	70.5		PC	30	92 20	30	NE
14	73	36	-7.5		PC	20-50	79 17	21	NE
15	80	46	6		PC		84 12	23	NE
16	81	45	6		PC	50-20	88 12	19	SW
17	84	45	7.5		C	50	75 14	17	SW
18	86	46	9		C	15-25	89 17	14	
19	89	48	11.5		PC		94 22	12	
20	90	57	58	16.5	PC	20-40	81 17	14	WSW
21	91	50	13.5		C	40-20	89 15	16	W
22	87	47	10		PC	20	92 20		
23	86	45	8.5		C	½-7	94 30	14	W
24	78	50	7		PC	1-4	95 46	14	W
25	70	47	52	1.5	PC	1-4	96 55	12	SW
26	79	44	4.5		PC	3-10	98 37	15	WSW
27	58	52	52	-2	T. Cldy	2-9	98 73	11	ENE
28	58	46	50	-5	Cldy	5-10	90 77	13	
29	66	41	-3.5		PC	5-12	99 56	19	
30	67	46	70.5	T.	Cldy	5-10	95 50		
31	75	42	+1.5		C	5-8	95 45	15	

\bar{x} 73¹ 44⁴ 0.26 C-7 PG 30 NE
 58⁷ +16 Gdays PC-16 52%
 Hi 91 57 GrR. 41 Cldy-8
 Lo 58 31 SunR. 6