

Storm Prediction Center

weather.gov

SPC NCEP All NOAA Go

Local forecast by "City, St" or "ZIP"

Go City, St

Site Map



@NWSSPC

NCEP Quarterly Newsletter

Home (Classic) **SPC Products All SPC Forecasts Current Watches** Meso. Discussions **Conv. Outlooks Tstm. Outlooks Fire Wx Outlooks** NSS Feeds **E-Mail Alerts Weather Information Storm Reports Storm Reports Dev. NWS Hazards Map National RADAR Product Archive NOAA Weather Radio** Research Non-op. Products **Forecast Tools Svr. Tstm. Events SPC Publications SPC-NSSL HWT** Education & Outreach **About the SPC**

SPC Feedback

SPC FAQ

WCM Page

Our History Public Tours

Misc.

Staff

Contact Us

About Tornadoes About Derechos

Enh. Fujita Page


Video Lecture Series

Mesoscale Discussion 562

Organization

< Previous MD

News



Mesoscale Discussion 0562 NWS Storm Prediction Center Norman OK 0338 PM CDT Sun Apr 28 2024

Areas affected...portions of eastern OK...western Arkansas and into far southeast KS and southwest MO.

Concerning...Severe potential...Watch possible

Valid 282038Z - 282245Z

Probability of Watch Issuance...40 percent

SUMMARY...Weak showers may gradually deepen into clusters of strong to severe storms late this afternoon. Uncertainty remains high as it is unclear if the air mass can recover in the wake of earlier storms. Trends will be monitored for a possible WW.

DISCUSSION...As of 2030 UTC, regional radar and satellite data showed a few showers slowly deepening over parts of central and eastern OK and northeast TX. In the wake of the early day MCS lingering clouds have slowed diurnal heating with temperatures stubbornly remaining in the upper 60s to low 70s F. Still, some clearing has emerged and 1.25-1.4 in precipitable water values show sufficient moisture for deep convection. Hi-res guidance shows these showers may gradually deepen into several clusters of thunderstorms across eastern OK over the next couple of hours as a subtle upper-level trough moves in from the west. With 500-1000 J/kg of MLCAPE potential available by 22-23z, a few stronger updrafts could emerge. 35-45 kt of effective shear would favor storm organization, though in the form of a mix of cellular and cluster elements. Damaging gusts and isolated hail appear to be the most likely threats should more robust storms develop. Still, a 30-40 kt LLJ should enlarge low-level hodographs near sunset to support the risk for a tornado or two. The primary uncertainty for this afternoon and evening is the coverage and intensity of storms that develop. While it remains unclear now, conditions are being monitored for a possible watch.

- ..Lyons/Hart.. 04/28/2024
- ...Please see www.spc.noaa.gov for graphic product...

ATTN...WFO...LZK...SGF...SHV...TSA...ICT...FWD...OUN...

33509512 33829634 34159670 34809659 35959618 37379548 LAT...LON 37639464 37599391 37259363 36909353 36269355 35059382 33799406 33509512

Top/All Mesoscale Discussions/Forecast Products/Home

Weather Topics: Watches, Mesoscale Discussions, Outlooks, Fire Weather, All Products, Contact Us Search for:

NOAA / National Weather Service National Centers for Environmental Prediction Storm Prediction Center 120 David L. Boren Blvd. Norman, OK 73072 U.S.A. spc.feedback@noaa.gov Page last modified: April 28, 2024

Disclaimer Information Quality Help Glossary

Privacy Policy Freedom of Information Act (FOIA) About Us Career Opportunities